

2019-2020
No dry cow tubes

Cow	-2 months SCC	-1 month SCC	lactation no. post calve	status	+1 month SCC	+2 months SCC
469	20	48	2	Low-Low	69	11
485	26	39	2	Low-High	894	791
486	22	39	2	Low-Low	72	26
488	38	97	2	Low-Low	68	62
493	40	22	2	Low-Low	-	101
494	20	26	2	Low-Low	51	17
495	50	50	2	Low-Low	120	42
498	41	84	2	Low-Low	13	12
499	150	1742	2	High-Low	-	36
502	13	34	2	Low-Low	27	18
503	13	17	2	Low-Low	102	10
504	37	75	2	Low-Low	14	7
505	103	116	2	Low-Low	25	13
507	37	22	2	Low-Low	13	10
508	41	26	2	Low-Low	24	25
509	813	507	2	High-Low	177	55
511	80	46	2	Low-High	423	17
513	80	110	2	Low-Low	148	76
514	60	54	2	Low-Low	33	62
515	52	113	2	Low-Low	182	50
520	79	93	2	Low-Low	19	36
522	70	84	2	Low-Low	24	38
524	43	190	2	Low-Low	-	16
525	18	88	2	Low-Low	36	16
526		299	2	High-Low	124	63
528	33	25	2	Low-Low		36
530	22	57	2	Low-Low	45	9
532	20	25	2	Low-High	-	370
536	53	19	2	Low-Low	19	37
537	23	13	2	Low-Low	39	39
416	19	74	3	Low-Low	-	27
428	110	135	3	Low-High	-	553
431	30	227	3	High-Low	134	120
432	115	133	3	Low-High	273	159
435	91	79	3	Low-Low	-	77
437	67	209	3	Low-Low	43	116
438	77	182	3	Low-Low	38	26
439	97	65	3	Low-Low	22	414
441	90	80	3	Low-Low	181	88
443	28	22	3	Low-Low	8	28
444	43	53	3	Low-Low	-	23
445	56	110	3	Low-Low	-	47

446	35	69	3	Low-Low	83	0
450	30	90	3	Low-High	318	343
452	45	166	3	Low-Low	11	15
453	18	37	3	Low-Low	36	52
454	28	104	3	Low-Low	119	14
455	103	27	3	Low-Low	38	18
458	50	57	3	Low-Low	21	671
459	35	43	3	Low-High	-	334
462	30	56	3	Low-Low	10	43
463	44	85	3	Low-High	-	439
464	59	52	3	Low-Low	58	19
465	32	119	3	Low-High	-	69
466	28	76	3	Low-Low	-	73
470	80	43	3	Low-Low	40	34
473	87	103	3	Low-Low	40	10
474	86	91	3	Low-High	233	57
477	65	135	3	Low-Low	14	30
478	30	79	3	Low-Low	69	52
479	33	53	3	Low-Low	57	26
481	98	103	3	Low-Low	-	47
483	55	45	3	Low-Low	115	51
237	138	68	4	Low-Low	29	27
244	30	64	4	Low-High	337	102
366	68	69	4	Low-High	1416	22
375	95	81	4	Low-Low	19	3386
376	31	12	4	Low-Low	201	212
391	23	100	4	Low-Low	117	108
392	58	67	4	Low-Low	27	43
395	47	173	4	Low-Low	156	11
396	102	189	4	Low-Low	35	20
397	76	111	4	Low-High	-	283
401	97	180	4	Low-Low	-	21
404	401	203	4	Low-Low	168	576
414	13	18	4	Low-Low	34	26
419	226	104	4	Low-Low	97	279
427	57	32	4	Low-Low	67	38
442	104	135	4	Low-Low	-	142
356	115	565	5	High-Low	81	481
362	52	154	5	Low-Low	82	49
363	38	146	5	Low-Low	67	204
364	103	66	5	Low-Low	26	25
368	48	77	5	Low-Low	34	1955
382	120	234	5	High-Low	18	55
384	92	208	5	Low-Low	40	22
311	106	360	6	High-Low	17	31
357	81	124	6	Low-Low	124	-
216	53	169	7	Low-Low	34	53

308	108	95	7	Low-Low	-	47
314	38	93	7	Low-Low	15	-
316	81	149	7	Low-Low	112	107
327	41	67	7	Low-Low	-	25
984	195	355	7	High-High	-	1322
994	48	82	7	Low-Low	33	32
836	19	54	11	Low-Low	16	16
841	35	191	11	Low-High	-	262

status no. of cows

Low-Low 75

Low-High 14

High-Low 7

High-High 1

dry period protection	84%
dry period cure	88%

+ dry cow tubes

Cow	-2 months SCC	-1 month SCC	lactation no. post calve	status	+1 month SCC	+2 months SCC
497	112	177	2	Low-Low	-	14
500	45	472	2	High-Low	25	15
510	17	45	2	Low-Low	9	16
518	27	-	2	Low-Low	65	36
519	35	84	2	Low-Low	25	28
535	198	229	2	High-Low	45	41
361	298	202	3	Low-Low	27	13
399	127	254	3	High-Low	-	22
433	249	817	3	High-Low	37	33
457	97	-	3	Low-Low	-	10
468	42	1468	3	High-Low	20	28
471	275	2634	3	High-Low	43	412
476	52	119	3	High-Low	-	31
484	207	265	3	High-Low	48	252
222	177	309	4	High-Low	22	-
407	164	240	4	Low-Low	81	158
410	138	550	4	High-Low	27	40
425	123	182	4	Low-High	313	116
229	71	302	5	High-Low	20	23
348	158	300	5	High-High	-	332
360	5555	-	5	High-Low	191	421
434	115	217	5	High-Low	-	18
225	80	52	6	Low-Low	23	24
300	725	988	6	High-Low	155	922

321	222	517	6	High-High	1763	683
339	207	-	6	Low-Low	24	57
448	36	56	6	Low-Low	22	286
213	249	278	7	High-Low	31	-
218	750	771	7	High-Low	24	12
301	654	9765	7	High-High	945	714
324	364	927	7	High-Low	-	55
326	551	988	7	High-Low	14	52
968	277	1270	7	High-Low	2	20
980	403	206	7	High-Low	105	79

mastitis	status	no. of cows
	Low-Low	10
	Low-High	1
	High-Low	19
	High-High	3
dry period protection		91%
dry period cure		86%

A few cows were dried off before milk recording results were available and could/should have been in the other category. However, this had minimal impact on the outcome. Dry cow tubes are very effective at curing existing infections, but a number of cow will re-offend in the next lactation. There could be a genetic factor to this.